

Available at



Infrared Thermometer

SKU# SPIJXB178

ONE Second Testing

Quick • Simple • Accurate

4-in-1

- Body Temperature
- Surface Temperature
- High Temperature Alarm
- Memorize 32 Test Data

Technical Specifications

Normal using condition:

Ambient temperature: 10°C ~ 40°C (50°F ~ 104°F)

Relative humidity: ≤85%

Batteries: DC 3V (2 pcs AA batteries)

Unit Weight (without batteries): 105g

Temperature display resolution: 0.1°C (0.1°F)

Measuring range:

Body mode: 32°C ~ 43.0°C (89.6°F ~ 109.4°F)

Under body mode, there is three color backlits;

Green color backlit: ≤37.3°C - (99.1°F), means normal temperature.

Orange color backlit: 37.4°C ~ 37.9°C (99.3°F ~ 100.2°F), means low fever.

Red color backlit: ≥38°C (100.4°F), means high fever.

Surface temp mode: 0°C ~ 60°C (32°F ~ 140°F)

Room mode: 0°C ~ 40°C (32°F ~ 104°F)

Precision:

32.0°C ~ 34.9°C (89.6°F ~ 94.8°F) ±0.3°C(±0.6°F)

35.0°C ~ 42.0°C (95°F ~ 107.6°F) ±0.2°C(±0.4°F)

42.1°C ~ 42.9°C (107.8°F ~ 109.2°F) ±0.3°C(±0.6°F)

Consumption: ≤300mW

Accuracy: ±0.3°C (0.6°F)

Measuring distance: 3cm ~ 5cm (1.2in.~ 2in.)

Automatic power off: <30 secs

Memory: 32 sets

Measuring position: Forehead skin



To purchase, contact your **AAA Business Supplies** Account Executive, today!

Email: order@aaasolutions.com **Call:** 800-821-4430

CNG Forehead Temperature Monitor


Disposable Forehead Temperature Monitor

A fast, simple temperature monitoring system based on proprietary color change technology.

During any illness outbreak, early fever detection not only helps prevent the spread of illnesses, it also ensures faster treatment. Liquid crystal technology-based, FDA registered forehead thermometers provide a simple, cost-effective tool for monitoring body temperature.

The CDC has issued guidance that essential workers should have their temperature taken before individuals enter the facility to begin work. Disposable thermometers are a cost and time-effective solution that allows you to monitor temperature throughout the day and still maintain appropriate social distance.

- Adhesive-backed paper
- Disposable
- Fahrenheit Scale




Prepare for the Unexpected

Forehead thermometers offer a fast, accurate way to monitor core body temperatures and take prompt preventive action. You can obtain an accurate temperature in approximately 15 seconds. It's simply a matter of watching the liquid crystal display until the colors stop changing. And since you can take temperatures non-invasively, the forehead thermometers are ideal for use with children, surgery center or quarantined patients.

Accurate and Effective Temperature Readings

Backed with years of proven research, manufacturing support and designed for extended shelf life, these forehead thermometers are essential elements in any pandemic, flu or emergency first aid kit.



CNG Forehead Temperature Monitor



P430 - Forehead Temperature Monitor

Response Temperature:

94°F, 96°F, 98°F, 100°F, 102°F, 104°F

Application:

Disposable; adhesive-backed

Specifications

Design Format	Fahrenheit Scale Hypoallergenic adhesive, pressure sensitive acrylate Disposable
Range	94-104°F
Accuracy	±1.0°F / 0.6°C
Classification	FDA Class II Medical Device
Shelf Life	12 months
Packaging	Box of 100, case of 500

Directions for Use

Thermometers should be used indoor and at room temperature (approximately 68° - 86°F). Avoid direct sunlight or strong heat when taking temperature. Do not take temperature if individual has been eating, drinking or exercising within the last 30 minutes due to the possibility of temperature fluctuation.

1. Remove backing. Apply to center of forehead. Skin surface should be clean and dry.
2. Read temperature after colors stop changing. Typically 15 seconds.
3. GREEN—Correct reading. If GREEN not visible, subtract 1°F from highest lit channel to obtain correct reading.
Please see package insert for complete instructions for use.



To purchase, contact your **AAA Business Supplies** Account Executive, today!

Email: order@aaasolutions.com **Call:** 800-821-4430